



Optima™ C4



Product Description

The Optima™ optical cross connect terminal offers the fastest hook up and disconnect for any drop cable field connection. The Optima C4 utilizes a Non-proprietary connector drop system with standard bulkhead adapters. The Optima is designed for a fast deployment of your FTTx network with a uniquely designed Installation compartment. The Optima is designed to be used as a single fiber termination terminal, or option for a pass-through of your fiber.

Features & Benefits

Factory terminated & tested
Provisions for field installation & termination
Pre-terminated feeder fiber at desired fiber lengths
4 Port terminal capacity
Re-enterable terminal housing, allowing troubleshooting & replacing connectors
Designed & tested to meet Telcordia GR771
Ability to use factory terminated fiber drops or your own fiber with field installable connectors

Copyright © 2019 Multilink Inc. • All rights reserved • Specifications subject to change without notice • Rev. May 31, 2019



Specifications

General	
Parameter	Specification
Dimensions:	12.8"W x 7.1"H x 1.7"D
Material:	UV Stabilized Plastic
Color:	Black
Mounting:	Pole, Pedestal, Strand (horizontal & Vertical), Direct Buried, Wall
Input Ports:	1 2
Drop Cable Ports:	4
Adapter Compatibility:	SC/APC SC/UPC LC/APC LC/UPC
Standards:	Tested to meet IP-67 & IP-68 Tested to meet environmental standards

Multilink®

Innovation At Work



Multilink Inc.
580 Ternes Ln
Elyria, OH 44035
Tel: (440) 366-6966
Fax: (440) 366-6802



facebook.com/GoMultilink



twitter.com/GoMultilink



youtube.com/GoMultilink

© Multilink Inc. 2019 • All Rights Reserved